

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027
Issued April 01, 2026

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. MICHAEL VERALDI
LONG ISLAND ANALYTICAL LABORATORIES, INC
110 COLIN DRIVE
HOLBROOK, NY 11741

NY Lab Id No: 11693

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES AIR AND EMISSIONS
All approved analytes are listed below:*

Acrylates

Methyl methacrylate EPA TO-15

Chlorinated Hydrocarbons

1,2,4-Trichlorobenzene EPA TO-15

Hexachlorobutadiene EPA TO-15

Metals III

Chromium, Total NIOSH 7300

Polynuclear Aromatics

Naphthalene EPA TO-15

Purgeable Aromatics

1,2,4-Trimethylbenzene EPA TO-15

1,2-Dichlorobenzene EPA TO-15

1,3,5-Trimethylbenzene EPA TO-15

1,3-Dichlorobenzene EPA TO-15

1,4-Dichlorobenzene EPA TO-15

Benzene EPA TO-15

Chlorobenzene EPA TO-15

Ethyl benzene EPA TO-15

m/p-Xylenes EPA TO-15

o-Xylene EPA TO-15

Styrene EPA TO-15

Toluene EPA TO-15

Total Xylenes EPA TO-15

Purgeable Halocarbons

1,1,1-Trichloroethane EPA TO-15

1,1,2,2-Tetrachloroethane EPA TO-15

Serial No.: 72222

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027
Issued April 01, 2026

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. MICHAEL VERALDI
LONG ISLAND ANALYTICAL LABORATORIES, INC
110 COLIN DRIVE
HOLBROOK, NY 11741

NY Lab Id No: 11693

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES AIR AND EMISSIONS
All approved analytes are listed below:*

Purgeable Halocarbons

1,1,2-Trichloro-1,2,2-Trifluoroethane	EPA TO-15
1,1,2-Trichloroethane	EPA TO-15
1,1-Dichloroethane	EPA TO-15
1,1-Dichloroethene	EPA TO-15
1,2-Dibromoethane	EPA TO-15
1,2-Dichloroethane	EPA TO-15
1,2-Dichloropropane	EPA TO-15
Bromodichloromethane	EPA TO-15
Bromoform	EPA TO-15
Bromomethane	EPA TO-15
Carbon tetrachloride	EPA TO-15
Chloroethane	EPA TO-15
Chloroform	EPA TO-15
Chloromethane	EPA TO-15
cis-1,2-Dichloroethene	EPA TO-15
cis-1,3-Dichloropropene	EPA TO-15
Dibromochloromethane	EPA TO-15
Dichlorodifluoromethane	EPA TO-15
Methylene chloride	EPA TO-15
Tetrachloroethene	EPA TO-15
trans-1,2-Dichloroethene	EPA TO-15
trans-1,3-Dichloropropene	EPA TO-15
Trichloroethene	EPA TO-15
Trichlorofluoromethane	EPA TO-15
Vinyl chloride	EPA TO-15

Volatile Chlorinated Organics

Benzyl chloride	EPA TO-15
-----------------	-----------

Serial No.: 72222

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027
Issued April 01, 2026

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. MICHAEL VERALDI
LONG ISLAND ANALYTICAL LABORATORIES, INC
110 COLIN DRIVE
HOLBROOK, NY 11741

NY Lab Id No: 11693

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES AIR AND EMISSIONS
All approved analytes are listed below:*

Volatile Organics

1,2-Dichlorotetrafluoroethane	EPA TO-15
1,3-Butadiene	EPA TO-15
1,4-Dioxane	EPA TO-15
2-Butanone (Methylethyl ketone)	EPA TO-15
4-Methyl-2-Pentanone	EPA TO-15
Acetone	EPA TO-15
Acrolein (Propenal)	EPA TO-15
Carbon Disulfide	EPA TO-15
Cyclohexane	EPA TO-15
Hexane	EPA TO-15
Isopropanol	EPA TO-15
Methyl tert-butyl ether	EPA TO-15
n-Heptane	EPA TO-15
Vinyl acetate	EPA TO-15



Serial No.: 72222

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027
Issued April 01, 2026

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

*MR. MICHAEL VERALDI
LONG ISLAND ANALYTICAL LABORATORIES, INC
110 COLIN DRIVE
HOLBROOK, NY 11741*

NY Lab Id No: 11693

*is hereby APPROVED as an Environmental Laboratory for the category
ENVIRONMENTAL ANALYSES AIR AND EMISSIONS
All approved subcategories and/or analytes are listed below:*

Metals I

Lead, Total

NIOSH 7300



Serial No.: 72223

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027
Issued April 01, 2026

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. MICHAEL VERALDI
LONG ISLAND ANALYTICAL LABORATORIES, INC
110 COLIN DRIVE
HOLBROOK, NY 11741

NY Lab Id No: 11693

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES NON POTABLE WATER
All approved analytes are listed below:*

Acrylates

Acrolein (Propenal)	EPA 8260D
Acrylonitrile	EPA 8260D

Amines

1,2-Diphenylhydrazine	EPA 8270E
2-Nitroaniline	EPA 8270E
3-Nitroaniline	EPA 8270E
4-Chloroaniline	EPA 8270E
4-Nitroaniline	EPA 8270E
Aniline	EPA 8270E
Carbazole	EPA 625.1 EPA 8270E
Pyridine	EPA 625.1 EPA 8270E

Bacteriology

Coliform, Fecal	SM 9221 E-2014
Coliform, Total	SM 9221B-2014
E. coli (Enumeration)	Colilert-24
Enterococci	SM 9230D-2013 (Enterolert)

Benzidines

3,3'-Dichlorobenzidine	EPA 625.1 EPA 8270E
------------------------	------------------------

Chlorinated Hydrocarbon Pesticides

4,4'-DDD	EPA 8081B
4,4'-DDE	EPA 8081B
4,4'-DDT	EPA 8081B
Aldrin	EPA 8081B

Serial No.: 72219

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027
Issued April 01, 2026

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. MICHAEL VERALDI
LONG ISLAND ANALYTICAL LABORATORIES, INC
110 COLIN DRIVE
HOLBROOK, NY 11741

NY Lab Id No: 11693

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES NON POTABLE WATER
All approved analytes are listed below:*

Chlorinated Hydrocarbon Pesticides

alpha-BHC	EPA 8081B
alpha-Chlordane	EPA 8081B
beta-BHC	EPA 8081B
Chlordane Total	EPA 8081B
delta-BHC	EPA 8081B
Dieldrin	EPA 8081B
Endosulfan I	EPA 8081B
Endosulfan II	EPA 8081B
Endosulfan sulfate	EPA 8081B
Endrin	EPA 8081B
Endrin aldehyde	EPA 8081B
Endrin Ketone	EPA 8081B
Heptachlor	EPA 8081B
Heptachlor epoxide	EPA 8081B
Lindane	EPA 8081B
Methoxychlor	EPA 8081B
Toxaphene	EPA 8081B
trans-Chlordane	EPA 8081B

Chlorinated Hydrocarbons

1,2,3-Trichlorobenzene	EPA 8260D
1,2,4-Trichlorobenzene	EPA 625.1
	EPA 8270E
2-Chloronaphthalene	EPA 625.1
	EPA 8270E
Hexachlorobenzene	EPA 625.1
	EPA 8270E
Hexachlorobutadiene	EPA 625.1

Serial No.: 72219

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027
Issued April 01, 2026

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. MICHAEL VERALDI
LONG ISLAND ANALYTICAL LABORATORIES, INC
110 COLIN DRIVE
HOLBROOK, NY 11741

NY Lab Id No: 11693

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES NON POTABLE WATER
All approved analytes are listed below:*

Chlorinated Hydrocarbons

Hexachlorobutadiene	EPA 8270E
Hexachlorocyclopentadiene	EPA 625.1
	EPA 8270E
Hexachloroethane	EPA 625.1
	EPA 8270E

Chlorophenoxy Acid Pesticides

2,4,5-T	EPA 8151A
2,4,5-TP (Silvex)	EPA 8151A
2,4-D	EPA 8151A
Dicamba	EPA 8151A

Demand

Biochemical Oxygen Demand	SM 5210B-2016
Carbonaceous BOD	SM 5210B-2016
Chemical Oxygen Demand	EPA 410.4, Rev. 2.0 (1993)

Fuel Oxygenates

Methyl tert-butyl ether	EPA 8260D
tert-butyl alcohol	EPA 8260D

Haloethers

2,2'-Oxybis(1-chloropropane)	EPA 625.1
	EPA 8270E
4-Bromophenylphenyl ether	EPA 625.1
	EPA 8270E
4-Chlorophenylphenyl ether	EPA 625.1
	EPA 8270E
Bis(2-chloroethoxy)methane	EPA 625.1
	EPA 8270E

Serial No.: 72219

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027
Issued April 01, 2026

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. MICHAEL VERALDI
LONG ISLAND ANALYTICAL LABORATORIES, INC
110 COLIN DRIVE
HOLBROOK, NY 11741

NY Lab Id No: 11693

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES NON POTABLE WATER
All approved analytes are listed below:*

Haloethers

Bis(2-chloroethyl)ether EPA 625.1
EPA 8270E

Metals I

Barium, Total EPA 200.7, Rev. 4.4 (1994)
EPA 200.8, Rev. 5.4 (1994)
Cadmium, Total EPA 200.7, Rev. 4.4 (1994)
EPA 200.8, Rev. 5.4 (1994)
Calcium, Total EPA 200.7, Rev. 4.4 (1994)
Chromium, Total EPA 200.7, Rev. 4.4 (1994)
Copper, Total EPA 200.7, Rev. 4.4 (1994)
Iron, Total EPA 200.7, Rev. 4.4 (1994)
Lead, Total EPA 200.7, Rev. 4.4 (1994)
EPA 200.8, Rev. 5.4 (1994)
Magnesium, Total EPA 200.7, Rev. 4.4 (1994)
Manganese, Total EPA 200.7, Rev. 4.4 (1994)
Nickel, Total EPA 200.7, Rev. 4.4 (1994)
Potassium, Total EPA 200.7, Rev. 4.4 (1994)
Silver, Total EPA 200.7, Rev. 4.4 (1994)
Sodium, Total EPA 200.7, Rev. 4.4 (1994)
Strontium, Total EPA 200.7, Rev. 4.4 (1994)

Metals II

Aluminum, Total EPA 200.7, Rev. 4.4 (1994)
EPA 200.8, Rev. 5.4 (1994)
Antimony, Total EPA 200.7, Rev. 4.4 (1994)
EPA 200.8, Rev. 5.4 (1994)
Arsenic, Total EPA 200.7, Rev. 4.4 (1994)

Serial No.: 72219

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027
Issued April 01, 2026

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. MICHAEL VERALDI
LONG ISLAND ANALYTICAL LABORATORIES, INC
110 COLIN DRIVE
HOLBROOK, NY 11741

NY Lab Id No: 11693

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES NON POTABLE WATER
All approved analytes are listed below:*

Metals II

Arsenic, Total	EPA 200.8, Rev. 5.4 (1994)
Beryllium, Total	EPA 200.7, Rev. 4.4 (1994)
Mercury, Total	EPA 245.1, Rev. 3.0 (1994)
Selenium, Total	EPA 200.7, Rev. 4.4 (1994)
	EPA 200.8, Rev. 5.4 (1994)
Vanadium, Total	EPA 200.7, Rev. 4.4 (1994)
Zinc, Total	EPA 200.7, Rev. 4.4 (1994)

Metals III

Cobalt, Total	EPA 200.7, Rev. 4.4 (1994)
Molybdenum, Total	EPA 200.7, Rev. 4.4 (1994)
	EPA 200.8, Rev. 5.4 (1994)
Thallium, Total	EPA 200.7, Rev. 4.4 (1994)
	EPA 200.8, Rev. 5.4 (1994)
Tin, Total	EPA 200.7, Rev. 4.4 (1994)

Mineral

Alkalinity	SM 2320B-2011
Calcium Hardness	EPA 200.7, Rev. 4.4 (1994)
Chloride	EPA 300.0, Rev. 2.1 (1993)
Fluoride, Total	EPA 300.0, Rev. 2.1 (1993)
Hardness, Total	SM 2340B-2011
Sulfate (as SO ₄)	EPA 300.0, Rev. 2.1 (1993)

Miscellaneous

Boron, Total	EPA 200.7, Rev. 4.4 (1994)
Cyanide, Total	SM 4500-CN E-2016
non-Polar Extractable Material (TPH)	EPA 1664A
Oil and Grease Total Recoverable	EPA 1664A

Serial No.: 72219

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027
Issued April 01, 2026

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. MICHAEL VERALDI
LONG ISLAND ANALYTICAL LABORATORIES, INC
110 COLIN DRIVE
HOLBROOK, NY 11741

NY Lab Id No: 11693

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES NON POTABLE WATER
All approved analytes are listed below:*

Miscellaneous

Organic Carbon, Total	SM 5310B-2014
Silica, Dissolved	EPA 200.7, Rev. 4.4 (1994)
Specific Conductance	EPA 120.1 (Rev. 1982)
Sulfide (as S)	SM 4500-S2- F-2011
Surfactant (MBAS)	SM 5540C-2011
Turbidity	SM 2130 B-2011

Nitroaromatics and Isophorone

2,4-Dinitrotoluene	EPA 625.1 EPA 8270E
2,6-Dinitrotoluene	EPA 625.1 EPA 8270E
Isophorone	EPA 625.1 EPA 8270E
Nitrobenzene	EPA 625.1 EPA 8270E

Nitrosoamines

N-Nitrosodimethylamine	EPA 625.1 EPA 8270E
N-Nitrosodi-n-propylamine	EPA 625.1 EPA 8270E
N-Nitrosodiphenylamine	EPA 625.1 EPA 8270E

Nutrient

Ammonia (as N)	SM 4500-NH3 C-2011
Kjeldahl Nitrogen, Total	SM 4500-NH3 C-2011
Nitrate (as N)	EPA 300.0, Rev. 2.1 (1993)

Serial No.: 72219

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027
Issued April 01, 2026

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. MICHAEL VERALDI
LONG ISLAND ANALYTICAL LABORATORIES, INC
110 COLIN DRIVE
HOLBROOK, NY 11741

NY Lab Id No: 11693

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES NON POTABLE WATER
All approved analytes are listed below:*

Nutrient

Nitrite (as N)	EPA 300.0, Rev. 2.1 (1993)
Orthophosphate (as P)	EPA 300.0, Rev. 2.1 (1993)
Phosphorus, Total	EPA 200.7, Rev. 4.4 (1994)

Perfluorinated Alkyl Acids

11Cl-PF3OUdS	EPA 1633A
3:3 FTCA	EPA 1633A
4:2FTS	EPA 1633A
5:3 FTCA	EPA 1633A
6:2FTS	EPA 1633A
7:3 FTCA	EPA 1633A
8:2FTS	EPA 1633A
9Cl-PF3ONS	EPA 1633A
ADONA	EPA 1633A
HFPO-DA (GenX)	EPA 1633A
NEtFOSA	EPA 1633A
NEtFOSAA	EPA 1633A
NEtFOSE	EPA 1633A
NFDHA	EPA 1633A
NMeFOSA	EPA 1633A
NMeFOSAA	EPA 1633A
NMeFOSE	EPA 1633A
Perflourotridecanoic Acid (PFTrDA)	EPA 1633A
Perfluorodecanoic Acid (PFDA)	EPA 1633A
Perfluoro-3-Methoxypropanoic Acid (F	EPA 1633A
Perfluoro-4-Methoxybutanoic Acid (PF	EPA 1633A
Perfluorobutanesulfonic Acid (PFBS)	EPA 1633A
Perfluorobutanoic Acid (PFBA)	EPA 1633A



Serial No.: 72219

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027
Issued April 01, 2026

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. MICHAEL VERALDI
LONG ISLAND ANALYTICAL LABORATORIES, INC
110 COLIN DRIVE
HOLBROOK, NY 11741

NY Lab Id No: 11693

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES NON POTABLE WATER
All approved analytes are listed below:*

Perfluorinated Alkyl Acids

Perfluorodecanesulfonic acid (PFDS)	EPA 1633A
Perfluorododecanesulfonic acid (PFDC)	EPA 1633A
Perfluorododecanoic Acid (PFDoA)	EPA 1633A
Perfluoroheptanesulfonic Acid (PFHpS)	EPA 1633A
Perfluoroheptanoic Acid (PFHpA)	EPA 1633A
Perfluorohexanesulfonic Acid (PFHxS)	EPA 1633A
Perfluorohexanoic Acid (PFHxA)	EPA 1633A
Perfluorononanesulfonic acid (PFNS)	EPA 1633A
Perfluorononanoic Acid (PFNA)	EPA 1633A
Perfluorooctanesulfonamide (PFOSA)	EPA 1633A
Perfluorooctanesulfonic Acid (PFOS)	EPA 1633A
Perfluorooctanoic Acid (PFOA)	EPA 1633A
Perfluoropentanesulfonic Acid (PFPeS)	EPA 1633A
Perfluoropentanoic Acid (PFPeA)	EPA 1633A
Perfluorotetradecanoic Acid (PFTeDA)	EPA 1633A
Perfluoroundecanoic Acid (PFUnA)	EPA 1633A
PFEESA	EPA 1633A

Phthalate Esters

Benzyl butyl phthalate	EPA 625.1
	EPA 8270E
Bis(2-ethylhexyl) phthalate	EPA 625.1
	EPA 8270E
Diethyl phthalate	EPA 625.1
	EPA 8270E
Dimethyl phthalate	EPA 625.1
	EPA 8270E
Di-n-butyl phthalate	EPA 625.1

Serial No.: 72219

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027
Issued April 01, 2026

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. MICHAEL VERALDI
LONG ISLAND ANALYTICAL LABORATORIES, INC
110 COLIN DRIVE
HOLBROOK, NY 11741

NY Lab Id No: 11693

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES NON POTABLE WATER
All approved analytes are listed below:*

Phthalate Esters

Di-n-butyl phthalate	EPA 8270E
Di-n-octyl phthalate	EPA 625.1
	EPA 8270E

Polychlorinated Biphenyls

Aroclor 1016 (PCB-1016)	EPA 608.3
Aroclor 1221 (PCB-1221)	EPA 608.3
Aroclor 1232 (PCB-1232)	EPA 608.3
Aroclor 1242 (PCB-1242)	EPA 608.3
Aroclor 1248 (PCB-1248)	EPA 608.3
Aroclor 1254 (PCB-1254)	EPA 608.3
Aroclor 1260 (PCB-1260)	EPA 608.3

Polynuclear Aromatics

Acenaphthene	EPA 625.1	
	EPA 8270E	
Acenaphthylene	EPA 625.1	
	EPA 8270E	
Anthracene	EPA 625.1	
	EPA 8270E	
Benzo(a)pyrene	EPA 625.1	
	EPA 8270E	
Benzo(b)fluoranthene	EPA 625.1	
	EPA 8270E	
Benzo(g,h,i)perylene	EPA 625.1	
	EPA 8270E	
Benzo(k)fluoranthene	EPA 625.1	
	EPA 8270E	



Serial No.: 72219

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027
Issued April 01, 2026

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. MICHAEL VERALDI
LONG ISLAND ANALYTICAL LABORATORIES, INC
110 COLIN DRIVE
HOLBROOK, NY 11741

NY Lab Id No: 11693

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES NON POTABLE WATER
All approved analytes are listed below:*

Polynuclear Aromatics

Chrysene	EPA 625.1 EPA 8270E
Dibenzo(a,h)anthracene	EPA 625.1 EPA 8270E
Fluoranthene	EPA 625.1 EPA 8270E
Fluorene	EPA 625.1 EPA 8270E
Indeno(1,2,3-cd)pyrene	EPA 625.1 EPA 8270E
Naphthalene	EPA 625.1 EPA 8270E
Phenanthrene	EPA 625.1 EPA 8270E
Pyrene	EPA 625.1 EPA 8270E

Priority Pollutant Phenols

2,4,5-Trichlorophenol	EPA 625.1 EPA 8270E
2,4,6-Trichlorophenol	EPA 625.1 EPA 8270E
2,4-Dichlorophenol	EPA 625.1 EPA 8270E
2,4-Dimethylphenol	EPA 625.1 EPA 8270E
2,4-Dinitrophenol	EPA 625.1 EPA 8270E

Serial No.: 72219

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027
Issued April 01, 2026

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. MICHAEL VERALDI
LONG ISLAND ANALYTICAL LABORATORIES, INC
110 COLIN DRIVE
HOLBROOK, NY 11741

NY Lab Id No: 11693

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES NON POTABLE WATER
All approved analytes are listed below:*

Priority Pollutant Phenols

2-Chlorophenol	EPA 625.1 EPA 8270E
2-Methyl-4,6-dinitrophenol	EPA 625.1 EPA 8270E
2-Methylphenol	EPA 625.1 EPA 8270E
2-Nitrophenol	EPA 625.1 EPA 8270E
3-Methylphenol	EPA 8270E
4-Chloro-3-methylphenol	EPA 625.1 EPA 8270E
4-Methylphenol	EPA 625.1 EPA 8270E
4-Nitrophenol	EPA 625.1 EPA 8270E
Cresols, Total	EPA 625.1 EPA 8270E
Pentachlorophenol	EPA 625.1 EPA 8270E
Phenol	EPA 625.1 EPA 8270E

Residue

Settleable Solids	SM 2540 F-2015
Solids, Total	SM 2540 B-2015
Solids, Total Dissolved	SM 2540 C-2015
Solids, Total Suspended	SM 2540 D-2015
Solids, Volatile	SM 2540 E-2015

Serial No.: 72219

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027
Issued April 01, 2026

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. MICHAEL VERALDI
LONG ISLAND ANALYTICAL LABORATORIES, INC
110 COLIN DRIVE
HOLBROOK, NY 11741

NY Lab Id No: 11693

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES NON POTABLE WATER
All approved analytes are listed below:*

Semi-Volatile Organics

1,2-Dichlorobenzene, Semi-volatile	EPA 8270E
1,3-Dichlorobenzene, Semi-volatile	EPA 8270E
1,4-Dichlorobenzene, Semi-volatile	EPA 8270E
2-Methylnaphthalene	EPA 8270E
Benzoic Acid	EPA 8270E
Benzyl alcohol	EPA 8270E
Dibenzofuran	EPA 8270E
n-Decane	EPA 625.1
	EPA 8270E
n-Octadecane	EPA 625.1
	EPA 8270E

Volatile Aromatics

1,2,4-Trichlorobenzene, Volatile	EPA 8260D
1,2,4-Trimethylbenzene	EPA 8260D
1,2-Dichlorobenzene	EPA 8260D
1,3,5-Trimethylbenzene	EPA 8260D
1,3-Dichlorobenzene	EPA 8260D
1,4-Dichlorobenzene	EPA 8260D
2-Chlorotoluene	EPA 8260D
4-Chlorotoluene	EPA 8260D
Benzene	EPA 8260D
Bromobenzene	EPA 8260D
Chlorobenzene	EPA 8260D
Ethyl benzene	EPA 8260D
Isopropylbenzene	EPA 8260D
m/p-Xylenes	EPA 8260D
Naphthalene, Volatile	EPA 8260D



Serial No.: 72219

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027
Issued April 01, 2026

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. MICHAEL VERALDI
LONG ISLAND ANALYTICAL LABORATORIES, INC
110 COLIN DRIVE
HOLBROOK, NY 11741

NY Lab Id No: 11693

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES NON POTABLE WATER
All approved analytes are listed below:*

Volatile Aromatics

n-Butylbenzene	EPA 8260D
n-Propylbenzene	EPA 8260D
o-Xylene	EPA 8260D
p-Isopropyltoluene (P-Cymene)	EPA 8260D
sec-Butylbenzene	EPA 8260D
Styrene	EPA 8260D
tert-Butylbenzene	EPA 8260D
Toluene	EPA 8260D
Total Xylenes	EPA 8260D

Volatile Halocarbons

1,1,1,2-Tetrachloroethane	EPA 8260D
1,1,1-Trichloroethane	EPA 8260D
1,1,2,2-Tetrachloroethane	EPA 8260D
1,1,2-Trichloro-1,2,2-Trifluoroethane	EPA 8260D
1,1,2-Trichloroethane	EPA 8260D
1,1-Dichloroethane	EPA 8260D
1,1-Dichloroethene	EPA 8260D
1,1-Dichloropropene	EPA 8260D
1,2,3-Trichloropropane	EPA 8260D
1,2-Dibromo-3-chloropropane	EPA 8260D
1,2-Dibromoethane	EPA 8260D
1,2-Dichloroethane	EPA 8260D
1,2-Dichloropropane	EPA 8260D
1,3-Dichloropropane	EPA 8260D
2,2-Dichloropropane	EPA 8260D
2-Chloroethylvinyl ether	EPA 8260D
Bromochloromethane	EPA 8260D



Serial No.: 72219

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027
Issued April 01, 2026

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. MICHAEL VERALDI
LONG ISLAND ANALYTICAL LABORATORIES, INC
110 COLIN DRIVE
HOLBROOK, NY 11741

NY Lab Id No: 11693

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES NON POTABLE WATER
All approved analytes are listed below:*

Volatile Halocarbons

Bromodichloromethane	EPA 8260D
Bromoform	EPA 8260D
Bromomethane	EPA 8260D
Carbon tetrachloride	EPA 8260D
Chloroethane	EPA 8260D
Chloroform	EPA 8260D
Chloromethane	EPA 8260D
cis-1,2-Dichloroethene	EPA 8260D
cis-1,3-Dichloropropene	EPA 8260D
Dibromochloromethane	EPA 8260D
Dibromomethane	EPA 8260D
Dichlorodifluoromethane	EPA 8260D
Hexachlorobutadiene, Volatile	EPA 8260D
Methylene chloride	EPA 8260D
Tetrachloroethene	EPA 8260D
trans-1,2-Dichloroethene	EPA 8260D
trans-1,3-Dichloropropene	EPA 8260D
Trichloroethene	EPA 8260D
Trichlorofluoromethane	EPA 8260D
Vinyl chloride	EPA 8260D

Volatiles Organics

1,4-Dioxane	EPA 8260D
2-Butanone (Methylethyl ketone)	EPA 8260D
2-Hexanone	EPA 8260D
4-Methyl-2-Pentanone	EPA 8260D
Acetone	EPA 8260D
Carbon Disulfide	EPA 8260D

Serial No.: 72219

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027
Issued April 01, 2026

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

*MR. MICHAEL VERALDI
LONG ISLAND ANALYTICAL LABORATORIES, INC
110 COLIN DRIVE
HOLBROOK, NY 11741*

NY Lab Id No: 11693

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES NON POTABLE WATER
All approved analytes are listed below:*

Volatiles Organics

Methyl acetate	EPA 8260D
Vinyl acetate	EPA 8260D

Sample Preparation Methods

EPA 5030C
SM 4500-CN B-2016 and C-2016
EPA 200.2
EPA 3510C
SM 4500-NH3 B-2011
SM 4500-N Org B-2011 or C-2011



Serial No.: 72219

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027
Issued April 01, 2026

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. MICHAEL VERALDI
LONG ISLAND ANALYTICAL LABORATORIES, INC
110 COLIN DRIVE
HOLBROOK, NY 11741

NY Lab Id No: 11693

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES POTABLE WATER
All approved analytes are listed below:*

Bacteriology

Coliform, Total / E. coli (Qualitative)	Colisure
E. coli (Enumeration)	SM 20, 21-23 9223B (-04) (Colilert)
Enterococci	SM 23 9230D (Enterolert)
Heterotrophic Plate Count	SimPlate

Fuel Additives

Methyl tert-butyl ether	EPA 524.2
Naphthalene	EPA 524.2

Metals I

Arsenic, Total	EPA 200.8 Rev. 5.4
Barium, Total	EPA 200.7 Rev. 4.4 EPA 200.8 Rev. 5.4
Cadmium, Total	EPA 200.7 Rev. 4.4 EPA 200.8 Rev. 5.4
Chromium, Total	EPA 200.7 Rev. 4.4 EPA 200.8 Rev. 5.4
Copper, Total	EPA 200.7 Rev. 4.4 EPA 200.8 Rev. 5.4
Iron, Total	EPA 200.7 Rev. 4.4
Lead, Total	EPA 200.8 Rev. 5.4
Manganese, Total	EPA 200.7 Rev. 4.4 EPA 200.8 Rev. 5.4
Mercury, Total	EPA 245.1 Rev. 3.0
Selenium, Total	EPA 200.8 Rev. 5.4
Silver, Total	EPA 200.7 Rev. 4.4 EPA 200.8 Rev. 5.4
Zinc, Total	EPA 200.7 Rev. 4.4



Serial No.: 72218

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027
Issued April 01, 2026

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. MICHAEL VERALDI
LONG ISLAND ANALYTICAL LABORATORIES, INC
110 COLIN DRIVE
HOLBROOK, NY 11741

NY Lab Id No: 11693

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES POTABLE WATER
All approved analytes are listed below:*

Metals I

Zinc, Total EPA 200.8 Rev. 5.4

Metals II

Aluminum, Total EPA 200.7 Rev. 4.4

EPA 200.8 Rev. 5.4

Antimony, Total EPA 200.8 Rev. 5.4

Beryllium, Total EPA 200.8 Rev. 5.4

Molybdenum, Total EPA 200.7 Rev. 4.4

EPA 200.8 Rev. 5.4

Nickel, Total EPA 200.7 Rev. 4.4

EPA 200.8 Rev. 5.4

Vanadium, Total EPA 200.8 Rev. 5.4

Metals III

Calcium, Total EPA 200.7 Rev. 4.4

Magnesium, Total EPA 200.7 Rev. 4.4

Potassium, Total EPA 200.7 Rev. 4.4

Sodium, Total EPA 200.7 Rev. 4.4

Miscellaneous

1,4-Dioxane EPA 522

Odor SM 21-23 2150 B (-97)

Surfactant (MBAS) SM 21-23 5540C (-00)

Turbidity SM 21-23 2130 B (-01)

Non-Metals

Alkalinity SM 21-23 2320B (-97)

Calcium Hardness EPA 200.7 Rev. 4.4

Chloride EPA 300.0 Rev. 2.1

Color SM 21-23 2120B (-01)

Serial No.: 72218

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027
Issued April 01, 2026

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. MICHAEL VERALDI
LONG ISLAND ANALYTICAL LABORATORIES, INC
110 COLIN DRIVE
HOLBROOK, NY 11741

NY Lab Id No: 11693

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES POTABLE WATER
All approved analytes are listed below:*

Non-Metals

Fluoride, Total	EPA 300.0 Rev. 2.1
Nitrate (as N)	EPA 300.0 Rev. 2.1
Nitrite (as N)	EPA 300.0 Rev. 2.1
Orthophosphate (as P)	EPA 300.0 Rev. 2.1
Silica, Total	EPA 200.7 Rev. 4.4
Solids, Total Dissolved	SM 21-23 2540C (-97)
Specific Conductance	EPA 120.1 Rev. 1982
Sulfate (as SO ₄)	EPA 300.0 Rev. 2.1

Perfluorinated Alkyl Acids

11CI-PF3OUdS	EPA 533
4:2FTS	EPA 533
6:2FTS	EPA 533
9CI-PF3ONS	EPA 533
ADONA	EPA 533
NFDHA	EPA 533
Perfluorodecanoic Acid (PFDA)	EPA 533
Perfluoro-3-Methoxypropanoic Acid (F	EPA 533
Perfluoro-4-Methoxybutanoic Acid (PF	EPA 533
Perfluorobutanesulfonic Acid (PFBS)	EPA 533
Perfluorobutanoic Acid (PFBA)	EPA 533
Perfluorododecanoic Acid (PFDoA)	EPA 533
Perfluoroheptanesulfonic Acid (PFHpS	EPA 533
Perfluoroheptanoic Acid (PFHpA)	EPA 533
Perfluorohexanesulfonic Acid (PFHxS	EPA 533
Perfluorohexanoic Acid (PFHxA)	EPA 533
Perfluorononanoic Acid (PFNA)	EPA 533
Perfluorooctanesulfonic Acid (PFOS)	EPA 533



Serial No.: 72218

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027
Issued April 01, 2026

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. MICHAEL VERALDI
LONG ISLAND ANALYTICAL LABORATORIES, INC
110 COLIN DRIVE
HOLBROOK, NY 11741

NY Lab Id No: 11693

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES POTABLE WATER
All approved analytes are listed below:*

Perfluorinated Alkyl Acids

Perfluorooctanesulfonic Acid (PFOS)	EPA 537.1, Version 2
Perfluorooctanoic Acid (PFOA)	EPA 533
	EPA 537.1, Version 2
Perfluoropentanesulfonic Acid (PFPeS)	EPA 533
Perfluoropentanoic Acid (PFPeA)	EPA 533
Perfluoroundecanoic Acid (PFUnA)	EPA 533
PFEESA	EPA 533

Trihalomethanes

Bromodichloromethane	EPA 524.2
Bromoform	EPA 524.2
Chloroform	EPA 524.2
Dibromochloromethane	EPA 524.2
Total Trihalomethanes	EPA 524.2

Volatile Aromatics

1,2,3-Trichlorobenzene	EPA 524.2
1,2,4-Trichlorobenzene	EPA 524.2
1,2,4-Trimethylbenzene	EPA 524.2
1,2-Dichlorobenzene	EPA 524.2
1,3,5-Trimethylbenzene	EPA 524.2
1,3-Dichlorobenzene	EPA 524.2
1,4-Dichlorobenzene	EPA 524.2
2-Chlorotoluene	EPA 524.2
4-Chlorotoluene	EPA 524.2
Benzene	EPA 524.2
Bromobenzene	EPA 524.2
Chlorobenzene	EPA 524.2

Serial No.: 72218

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027
Issued April 01, 2026

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. MICHAEL VERALDI
LONG ISLAND ANALYTICAL LABORATORIES, INC
110 COLIN DRIVE
HOLBROOK, NY 11741

NY Lab Id No: 11693

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES POTABLE WATER
All approved analytes are listed below:*

Volatile Aromatics

Ethyl benzene	EPA 524.2
Hexachlorobutadiene	EPA 524.2
Isopropylbenzene	EPA 524.2
n-Butylbenzene	EPA 524.2
n-Propylbenzene	EPA 524.2
p-Isopropyltoluene (P-Cymene)	EPA 524.2
sec-Butylbenzene	EPA 524.2
Styrene	EPA 524.2
tert-Butylbenzene	EPA 524.2
Toluene	EPA 524.2
Total Xylenes	EPA 524.2

Volatile Halocarbons

1,1,1,2-Tetrachloroethane	EPA 524.2
1,1,1-Trichloroethane	EPA 524.2
1,1,2,2-Tetrachloroethane	EPA 524.2
1,1,2-Trichloroethane	EPA 524.2
1,1-Dichloroethane	EPA 524.2
1,1-Dichloroethene	EPA 524.2
1,1-Dichloropropene	EPA 524.2
1,2,3-Trichloropropane	EPA 524.2
1,2-Dichloroethane	EPA 524.2
1,2-Dichloropropane	EPA 524.2
1,3-Dichloropropane	EPA 524.2
2,2-Dichloropropane	EPA 524.2
Bromochloromethane	EPA 524.2
Bromomethane	EPA 524.2
Carbon tetrachloride	EPA 524.2



Serial No.: 72218

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027
Issued April 01, 2026

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. MICHAEL VERALDI
LONG ISLAND ANALYTICAL LABORATORIES, INC
110 COLIN DRIVE
HOLBROOK, NY 11741

NY Lab Id No: 11693

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES POTABLE WATER
All approved analytes are listed below:*

Volatile Halocarbons

Chloroethane	EPA 524.2
Chloromethane	EPA 524.2
cis-1,2-Dichloroethene	EPA 524.2
cis-1,3-Dichloropropene	EPA 524.2
Dibromomethane	EPA 524.2
Dichlorodifluoromethane	EPA 524.2
Methylene chloride	EPA 524.2
Tetrachloroethene	EPA 524.2
trans-1,2-Dichloroethene	EPA 524.2
trans-1,3-Dichloropropene	EPA 524.2
Trichloroethene	EPA 524.2
Trichlorofluoromethane	EPA 524.2
Vinyl chloride	EPA 524.2



Serial No.: 72218

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027
Issued April 01, 2026

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. MICHAEL VERALDI
LONG ISLAND ANALYTICAL LABORATORIES, INC
110 COLIN DRIVE
HOLBROOK, NY 11741

NY Lab Id No: 11693

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE
All approved analytes are listed below:*

Acrylates

Acrolein (Propenal)	EPA 8260D
Acrylonitrile	EPA 8260D
Ethyl methacrylate	EPA 8260D
Methyl methacrylate	EPA 8260D

Amines

1,2-Diphenylhydrazine	EPA 8270E
2-Nitroaniline	EPA 8270E
3-Nitroaniline	EPA 8270E
4-Chloroaniline	EPA 8270E
4-Nitroaniline	EPA 8270E
Aniline	EPA 8270E
Carbazole	EPA 8270E

Benzidines

3,3'-Dichlorobenzidine	EPA 8270E
Benzidine	EPA 8270E

Characteristic Testing

Corrosivity (pH)	EPA 9045D
Free Liquids	EPA 9095B
Ignitability	EPA 1030
	EPA 1010A
TCLP	EPA 1311

Chlorinated Hydrocarbon Pesticides

4,4'-DDD	EPA 8081B
4,4'-DDE	EPA 8081B
4,4'-DDT	EPA 8081B
Aldrin	EPA 8081B

Serial No.: 72220

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027
Issued April 01, 2026

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. MICHAEL VERALDI
LONG ISLAND ANALYTICAL LABORATORIES, INC
110 COLIN DRIVE
HOLBROOK, NY 11741

NY Lab Id No: 11693

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE
All approved analytes are listed below:*

Chlorinated Hydrocarbon Pesticides

alpha-BHC	EPA 8081B
alpha-Chlordane	EPA 8081B
Atrazine	EPA 8081B
	EPA 8270E
beta-BHC	EPA 8081B
Chlordane Total	EPA 8081B
delta-BHC	EPA 8081B
Dieldrin	EPA 8081B
Endosulfan I	EPA 8081B
Endosulfan II	EPA 8081B
Endosulfan sulfate	EPA 8081B
Endrin	EPA 8081B
Endrin aldehyde	EPA 8081B
Endrin Ketone	EPA 8081B
Heptachlor	EPA 8081B
Heptachlor epoxide	EPA 8081B
Lindane	EPA 8081B
Methoxychlor	EPA 8081B
Mirex	EPA 8081B
Toxaphene	EPA 8081B
trans-Chlordane	EPA 8081B

Chlorinated Hydrocarbons

1,2,3-Trichlorobenzene	EPA 8260D
1,2,4-Trichlorobenzene	EPA 8270E
2-Chloronaphthalene	EPA 8270E
Hexachlorobenzene	EPA 8270E
Hexachlorobutadiene	EPA 8270E

Serial No.: 72220

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027
Issued April 01, 2026

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. MICHAEL VERALDI
LONG ISLAND ANALYTICAL LABORATORIES, INC
110 COLIN DRIVE
HOLBROOK, NY 11741

NY Lab Id No: 11693

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE
All approved analytes are listed below:*

Chlorinated Hydrocarbons

Hexachlorocyclopentadiene	EPA 8270E
Hexachloroethane	EPA 8270E

Chlorophenoxy Acid Pesticides

2,4,5-T	EPA 8151A
2,4,5-TP (Silvex)	EPA 8151A
2,4-D	EPA 8151A
Dicamba	EPA 8151A

Haloethers

2,2'-Oxybis(1-chloropropane)	EPA 8270E
4-Bromophenylphenyl ether	EPA 8270E
4-Chlorophenylphenyl ether	EPA 8270E
Bis(2-chloroethoxy)methane	EPA 8270E
Bis(2-chloroethyl)ether	EPA 8270E

Metals I

Barium, Total	EPA 6010D
Cadmium, Total	EPA 6010D
Calcium, Total	EPA 6010D
Chromium, Total	EPA 6010D
Copper, Total	EPA 6010D
Iron, Total	EPA 6010D
Lead, Total	EPA 6010D
Magnesium, Total	EPA 6010D
Manganese, Total	EPA 6010D
Nickel, Total	EPA 6010D
Potassium, Total	EPA 6010D
Silver, Total	EPA 6010D

Serial No.: 72220

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027
Issued April 01, 2026

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. MICHAEL VERALDI
LONG ISLAND ANALYTICAL LABORATORIES, INC
110 COLIN DRIVE
HOLBROOK, NY 11741

NY Lab Id No: 11693

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE
All approved analytes are listed below:*

Metals I

Sodium, Total EPA 6010D

Metals II

Aluminum, Total EPA 6010D

Antimony, Total EPA 6010D

Arsenic, Total EPA 6010D

Beryllium, Total EPA 6010D

Chromium VI EPA 7196A

Lithium, Total EPA 6010D

Mercury, Total EPA 7471B

Selenium, Total EPA 6010D

Vanadium, Total EPA 6010D

Zinc, Total EPA 6010D

Metals III

Cobalt, Total EPA 6010D

Molybdenum, Total EPA 6010D

Thallium, Total EPA 6010D

Tin, Total EPA 6010D

Titanium, Total EPA 6010D

Minerals

Sulfate (as SO₄) EPA 9056A

Miscellaneous

Boron, Total EPA 6010D

Cyanide, Total EPA 9014

Specific Conductance EPA 9050A

Sulfide (as S) EPA 9034

Serial No.: 72220

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027
Issued April 01, 2026

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. MICHAEL VERALDI
LONG ISLAND ANALYTICAL LABORATORIES, INC
110 COLIN DRIVE
HOLBROOK, NY 11741

NY Lab Id No: 11693

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE
All approved analytes are listed below:*

Nitroaromatics and Isophorone

2,4-Dinitrotoluene	EPA 8270E
2,6-Dinitrotoluene	EPA 8270E
Isophorone	EPA 8270E
Nitrobenzene	EPA 8270E
Pyridine	EPA 8270E

Nitrosoamines

N-Nitrosodimethylamine	EPA 8270E
N-Nitrosodi-n-propylamine	EPA 8270E
N-Nitrosodiphenylamine	EPA 8270E

Nutrients

Nitrate (as N)	EPA 9056A
Nitrite (as N)	EPA 9056A
Orthophosphate (as P)	EPA 9056A

Organophosphate Pesticides

Parathion ethyl	EPA 8270E
-----------------	-----------

Perfluorinated Alkyl Acids

11CI-PF3OUdS	EPA 1633A
3:3 FTCA	EPA 1633A
4:2FTS	EPA 1633A
5:3 FTCA	EPA 1633A
6:2FTS	EPA 1633A
7:3 FTCA	EPA 1633A
8:2FTS	EPA 1633A
9CI-PF3ONS	EPA 1633A
ADONA	EPA 1633A
HFPO-DA (GenX)	EPA 1633A

Serial No.: 72220

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027
Issued April 01, 2026

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. MICHAEL VERALDI
LONG ISLAND ANALYTICAL LABORATORIES, INC
110 COLIN DRIVE
HOLBROOK, NY 11741

NY Lab Id No: 11693

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE
All approved analytes are listed below:*

Perfluorinated Alkyl Acids

NEtFOSA	EPA 1633A
NEtFOSAA	EPA 1633A
NEtFOSE	EPA 1633A
NFDHA	EPA 1633A
NMeFOSA	EPA 1633A
NMeFOSAA	EPA 1633A
NMeFOSE	EPA 1633A
Perflouotridecanoic Acid (PFTrDA)	EPA 1633A
Perfluorodecanoic Acid (PFDA)	EPA 1633A
Perfluoro-3-Methoxypropanoic Acid (F	EPA 1633A
Perfluoro-4-Methoxybutanoic Acid (PF	EPA 1633A
Perfluorobutanesulfonic Acid (PFBS)	EPA 1633A
Perfluorobutanoic Acid (PFBA)	EPA 1633A
Perfluorodecanesulfonic acid (PFDS)	EPA 1633A
Perfluorododecanesulfonic acid (PFDC	EPA 1633A
Perfluorododecanoic Acid (PFDoA)	EPA 1633A
Perfluoroheptanesulfonic Acid (PFHpS	EPA 1633A
Perfluoroheptanoic Acid (PFHpA)	EPA 1633A
Perfluorohexanesulfonic Acid (PFHxS	EPA 1633A
Perfluorohexanoic Acid (PFHxA)	EPA 1633A
Perfluorononanesulfonic acid (PFNS)	EPA 1633A
Perfluorononanoic Acid (PFNA)	EPA 1633A
Perfluorooctanesulfonamide (PFOSA)	EPA 1633A
Perfluorooctanesulfonic Acid (PFOS)	EPA 1633A
Perfluorooctanoic Acid (PFOA)	EPA 1633A
Perfluoropentanesulfonic Acid (PFPeS	EPA 1633A
Perfluoropentanoic Acid (PFPeA)	EPA 1633A



Serial No.: 72220

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027
Issued April 01, 2026

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. MICHAEL VERALDI
LONG ISLAND ANALYTICAL LABORATORIES, INC
110 COLIN DRIVE
HOLBROOK, NY 11741

NY Lab Id No: 11693

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE
All approved analytes are listed below:*

Perfluorinated Alkyl Acids

Perfluorotetradecanoic Acid (PFTeDA)	EPA 1633A
Perfluoroundecanoic Acid (PFUnA)	EPA 1633A
PFEESA	EPA 1633A

Petroleum Hydrocarbons

Diesel Range Organics	EPA 8015D
Gasoline Range Organics	EPA 8015D

Phthalate Esters

Benzyl butyl phthalate	EPA 8270E
Bis(2-ethylhexyl) phthalate	EPA 8270E
Diethyl phthalate	EPA 8270E
Dimethyl phthalate	EPA 8270E
Di-n-butyl phthalate	EPA 8270E
Di-n-octyl phthalate	EPA 8270E

Polychlorinated Biphenyls

Aroclor 1016 (PCB-1016)	EPA 8082A
Aroclor 1016 (PCB-1016) in Oil	ASTM D4059-91,00, e05
Aroclor 1221 (PCB-1221)	EPA 8082A
Aroclor 1221 (PCB-1221) in Oil	ASTM D4059-91,00, e05
Aroclor 1232 (PCB-1232)	EPA 8082A
Aroclor 1232 (PCB-1232) in Oil	ASTM D4059-91,00, e05
Aroclor 1242 (PCB-1242)	EPA 8082A
Aroclor 1242 (PCB-1242) in Oil	ASTM D4059-91,00, e05
Aroclor 1248 (PCB-1248)	EPA 8082A
Aroclor 1248 (PCB-1248) in Oil	ASTM D4059-91,00, e05
Aroclor 1254 (PCB-1254)	EPA 8082A
Aroclor 1254 (PCB-1254) in Oil	ASTM D4059-91,00, e05

Serial No.: 72220

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027
Issued April 01, 2026

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. MICHAEL VERALDI
LONG ISLAND ANALYTICAL LABORATORIES, INC
110 COLIN DRIVE
HOLBROOK, NY 11741

NY Lab Id No: 11693

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE
All approved analytes are listed below:*

Polychlorinated Biphenyls

Aroclor 1260 (PCB-1260)	EPA 8082A
Aroclor 1260 (PCB-1260) in Oil	ASTM D4059-91,00, e05
Aroclor 1262 (PCB-1262)	EPA 8082A
Aroclor 1262 (PCB-1262) in Oil	ASTM D4059-91,00, e05
Aroclor 1268 (PCB-1268)	EPA 8082A
Aroclor 1268 (PCB-1268) in Oil	ASTM D4059-91,00, e05

Polynuclear Aromatic Hydrocarbons

Acenaphthene	EPA 8270E
Acenaphthylene	EPA 8270E
Anthracene	EPA 8270E
Benzo(a)anthracene	EPA 8270E
Benzo(a)pyrene	EPA 8270E
Benzo(b)fluoranthene	EPA 8270E
Benzo(g,h,i)perylene	EPA 8270E
Benzo(k)fluoranthene	EPA 8270E
Chrysene	EPA 8270E
Dibenzo(a,h)anthracene	EPA 8270E
Fluoranthene	EPA 8270E
Fluorene	EPA 8270E
Indeno(1,2,3-cd)pyrene	EPA 8270E
Naphthalene	EPA 8270E
Phenanthrene	EPA 8270E
Pyrene	EPA 8270E

Priority Pollutant Phenols

2,4,5-Trichlorophenol	EPA 8270E
2,4,6-Trichlorophenol	EPA 8270E

Serial No.: 72220

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027
Issued April 01, 2026

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. MICHAEL VERALDI
LONG ISLAND ANALYTICAL LABORATORIES, INC
110 COLIN DRIVE
HOLBROOK, NY 11741

NY Lab Id No: 11693

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE
All approved analytes are listed below:*

Priority Pollutant Phenols

2,4-Dichlorophenol	EPA 8270E
2,4-Dimethylphenol	EPA 8270E
2,4-Dinitrophenol	EPA 8270E
2-Chlorophenol	EPA 8270E
2-Methyl-4,6-dinitrophenol	EPA 8270E
2-Methylphenol	EPA 8270E
2-Nitrophenol	EPA 8270E
3-Methylphenol	EPA 8270E
4-Chloro-3-methylphenol	EPA 8270E
4-Methylphenol	EPA 8270E
4-Nitrophenol	EPA 8270E
Pentachlorophenol	EPA 8270E
Phenol	EPA 8270E

Semi-Volatile Organics

1,1'-Biphenyl	EPA 8270E
1,2-Dichlorobenzene, Semi-volatile	EPA 8270E
1,3-Dichlorobenzene, Semi-volatile	EPA 8270E
1,4-Dichlorobenzene, Semi-volatile	EPA 8270E
2-Methylnaphthalene	EPA 8270E
Acetophenone	EPA 8270E
Benzaldehyde	EPA 8270E
Benzoic Acid	EPA 8270E
Benzyl alcohol	EPA 8270E
Caprolactam	EPA 8270E
Dibenzofuran	EPA 8270E

Serial No.: 72220

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027
Issued April 01, 2026

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. MICHAEL VERALDI
LONG ISLAND ANALYTICAL LABORATORIES, INC
110 COLIN DRIVE
HOLBROOK, NY 11741

NY Lab Id No: 11693

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE
All approved analytes are listed below:*

Volatile Aromatics

1,2,4-Trichlorobenzene, Volatile	EPA 8260D
1,2,4-Trimethylbenzene	EPA 8260D
1,2-Dichlorobenzene	EPA 8260D
1,3,5-Trimethylbenzene	EPA 8260D
1,3-Dichlorobenzene	EPA 8260D
2-Chlorotoluene	EPA 8260D
4-Chlorotoluene	EPA 8260D
Benzene	EPA 8260D
Bromobenzene	EPA 8260D
Chlorobenzene	EPA 8260D
Ethyl benzene	EPA 8260D
Isopropylbenzene	EPA 8260D
m/p-Xylenes	EPA 8260D
Naphthalene, Volatile	EPA 8260D
n-Butylbenzene	EPA 8260D
n-Propylbenzene	EPA 8260D
o-Xylene	EPA 8260D
p-Isopropyltoluene (P-Cymene)	EPA 8260D
sec-Butylbenzene	EPA 8260D
Styrene	EPA 8260D
tert-Butylbenzene	EPA 8260D
Toluene	EPA 8260D
Total Xylenes	EPA 8260D

Volatile Halocarbons

1,1,1,2-Tetrachloroethane	EPA 8260D
1,1,1-Trichloroethane	EPA 8260D
1,1,2,2-Tetrachloroethane	EPA 8260D

Serial No.: 72220

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027
Issued April 01, 2026

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. MICHAEL VERALDI
LONG ISLAND ANALYTICAL LABORATORIES, INC
110 COLIN DRIVE
HOLBROOK, NY 11741

NY Lab Id No: 11693

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE
All approved analytes are listed below:*

Volatile Halocarbons

1,1,2-Trichloro-1,2,2-Trifluoroethane	EPA 8260D
1,1,2-Trichloroethane	EPA 8260D
1,1-Dichloroethane	EPA 8260D
1,1-Dichloroethene	EPA 8260D
1,1-Dichloropropene	EPA 8260D
1,2,3-Trichloropropane	EPA 8260D
1,2-Dibromo-3-chloropropane	EPA 8260D
1,2-Dibromoethane	EPA 8260D
1,2-Dichloroethane	EPA 8260D
1,2-Dichloropropane	EPA 8260D
1,3-Dichloropropane	EPA 8260D
2,2-Dichloropropane	EPA 8260D
2-Chloroethylvinyl ether	EPA 8260D
3-Chloropropene (Allyl chloride)	EPA 8260D
Bromochloromethane	EPA 8260D
Bromodichloromethane	EPA 8260D
Bromoform	EPA 8260D
Bromomethane	EPA 8260D
Carbon tetrachloride	EPA 8260D
Chloroethane	EPA 8260D
Chloroform	EPA 8260D
Chloromethane	EPA 8260D
cis-1,2-Dichloroethene	EPA 8260D
cis-1,3-Dichloropropene	EPA 8260D
Dibromochloromethane	EPA 8260D
Dibromomethane	EPA 8260D
Dichlorodifluoromethane	EPA 8260D



Serial No.: 72220

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027
Issued April 01, 2026

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. MICHAEL VERALDI
LONG ISLAND ANALYTICAL LABORATORIES, INC
110 COLIN DRIVE
HOLBROOK, NY 11741

NY Lab Id No: 11693

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE
All approved analytes are listed below:*

Volatile Halocarbons

Hexachlorobutadiene, Volatile	EPA 8260D
Methyl iodide	EPA 8260D
Methylene chloride	EPA 8260D
Tetrachloroethene	EPA 8260D
trans-1,2-Dichloroethene	EPA 8260D
trans-1,3-Dichloropropene	EPA 8260D
Trichloroethene	EPA 8260D
Trichlorofluoromethane	EPA 8260D
Vinyl chloride	EPA 8260D

Volatile Organics

1,4-Dioxane	EPA 8260D
2-Butanone (Methylethyl ketone)	EPA 8260D
2-Hexanone	EPA 8260D
2-Nitropropane	EPA 8260D
4-Methyl-2-Pentanone	EPA 8260D
Acetone	EPA 8260D
Carbon Disulfide	EPA 8260D
Di-ethyl ether	EPA 8260D
Methyl acetate	EPA 8260D
Methyl tert-butyl ether	EPA 8260D
tert-butyl alcohol	EPA 8260D
Tetrahydrofuran	EPA 8260D
Vinyl acetate	EPA 8260D

Sample Preparation Methods

EPA 5035A-L
EPA 5035A-H

Serial No.: 72220

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027
Issued April 01, 2026

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. MICHAEL VERALDI
LONG ISLAND ANALYTICAL LABORATORIES, INC
110 COLIN DRIVE
HOLBROOK, NY 11741

NY Lab Id No: 11693

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE
All approved analytes are listed below:*

Sample Preparation Methods

EPA 9030B
EPA 3050B
EPA 3546
EPA 3545A
EPA 3060A
EPA 9010C



Serial No.: 72220

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027
Issued April 01, 2026

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

*MR. MICHAEL VERALDI
LONG ISLAND ANALYTICAL LABORATORIES, INC
110 COLIN DRIVE
HOLBROOK, NY 11741*

NY Lab Id No: 11693

*is hereby APPROVED as an Environmental Laboratory for the category
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE
All approved subcategories and/or analytes are listed below:*

Miscellaneous

Lead in Dust Wipes	EPA 6010D
Lead in Paint	EPA 6010D

Sample Preparation Methods

EPA 3050B



Serial No.: 72221

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.